

## D9 25mg Assorted Flavors

Sample ID: 2607AFL1133.3953

Internal Lab ID: ATL-37842

Client

Strain: Hemp

Modern Distribution

Matrix: Ingestible

Received: 07/16/2026

Lic. #

Type: Soft Chew


Completed: 07/30/2026

123 North Orchard Street Ste 4A

Unit Weight: 9.783333333 g

Batch#: 23F26002

Ormond Beach, FL 32174



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 07/17/2026  | Complete |
| Residual Solvents | 07/22/2026  | Pass     |
| Microbials        | 07/28/2026  | Pass     |
| Mycotoxins        | 07/30/2026  | Pass     |
| Pesticides        | 07/30/2026  | Pass     |
| Heavy Metals      | 07/23/2026  | Pass     |
| Foreign Matter    | 07/28/2026  | Pass     |

### Basic Potency

Complete

|                            |                        |                                     |
|----------------------------|------------------------|-------------------------------------|
| <b>0.263%</b><br>Total THC | <b>ND</b><br>Total CBD | <b>0.263%</b><br>Total Cannabinoids |
|----------------------------|------------------------|-------------------------------------|

| Analyte         | LOD   | LOQ   | Result | Result  | Analyte          | LOD   | LOQ   | Result       | Result       |
|-----------------|-------|-------|--------|---------|------------------|-------|-------|--------------|--------------|
|                 | %     | %     | %      | mg/unit |                  | %     | %     | %            | mg/unit      |
| CBDVa           | 0.001 | 0.004 | ND     | ND      | CBN              | 0.001 | 0.004 | ND           | ND           |
| CBDV            | 0.001 | 0.004 | ND     | ND      | $\Delta$ 9-THC   | 0.001 | 0.004 | 0.263        | 25.73        |
| CBDa            | 0.001 | 0.004 | ND     | ND      | $\Delta$ 8-THC   | 0.001 | 0.004 | ND           | ND           |
| CBGa            | 0.001 | 0.004 | ND     | ND      | (6aR,9S)-d10-THC | 0.002 | 0.005 | ND           | ND           |
| CBG             | 0.001 | 0.004 | ND     | ND      | (6aR,9R)-d10-THC | 0.002 | 0.005 | ND           | ND           |
| CBD             | 0.001 | 0.004 | ND     | ND      | CBC              | 0.001 | 0.004 | ND           | ND           |
| THCV            | 0.001 | 0.004 | ND     | ND      | CBCa             | 0.001 | 0.004 | ND           | ND           |
| $\Delta$ 8-THCV | 0.002 | 0.005 | ND     | ND      | THCa             | 0.001 | 0.004 | ND           | ND           |
| THCVa           | 0.001 | 0.004 | ND     | ND      | <b>Total</b>     |       |       | <b>0.263</b> | <b>25.73</b> |

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 07/17/2026

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA), Potency via HPLC

|                                                             |                                                           |                                                                                                |
|-------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>NT</b><br>Not Tested<br>Document ID:<br>Moisture Content | <b>NT</b><br>Not Tested<br>Document ID:<br>Water Activity | <b>Pass</b><br>Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3<br>Foreign Matter |
|-------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|



  
Lise Berthe-Laurent  
Laboratory Director  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(786) 599-1806  
http://accuratetestlab.com

QA Testing

2 of 4

## D9 25mg Assorted Flavors

Sample ID: 2607AFL1133.3953

Internal Lab ID: ATL-37842

Client

Strain: Hemp

Modern Distribution

Matrix: Ingestible

Received: 07/16/2026

Lic. #

Type: Soft Chew

Completed: 07/30/2026

123 North Orchard Street Ste 4A

Unit Weight: 9.783333333 g

Batch#: 23F26002

Ormond Beach, FL 32174

## Pesticides

Pass

| Analyte              | LOD    | LOQ    | Limit | Result | Status | Analyte                 | LOD    | LOQ    | Limit | Result | Status |
|----------------------|--------|--------|-------|--------|--------|-------------------------|--------|--------|-------|--------|--------|
|                      | PPB    | PPB    | PPB   | PPB    |        |                         | PPB    | PPB    | PPB   | PPB    |        |
| Abamectin            | 13.280 | 39.840 | 300   | ND     | Pass   | Fludioxonil             | 1.347  | 4.040  | 3000  | ND     | Pass   |
| Acephate             | 13.707 | 41.120 | 3000  | ND     | Pass   | Hexythiazox             | 1.333  | 4.000  | 2000  | ND     | Pass   |
| Acequinocyl          | 1.347  | 4.040  | 2000  | ND     | Pass   | Imazalil                | 13.427 | 40.280 | 100   | ND     | Pass   |
| Acetamiprid          | 1.353  | 4.060  | 3000  | ND     | Pass   | Imidacloprid            | 13.573 | 40.720 | 3000  | ND     | Pass   |
| Aldicarb             | 13.280 | 39.840 | 100   | ND     | Pass   | Kresoxim Methyl         | 13.600 | 40.800 | 1000  | ND     | Pass   |
| Azoxystrobin         | 1.340  | 4.020  | 3000  | ND     | Pass   | Malathion               | 13.573 | 40.720 | 2000  | ND     | Pass   |
| Bifenazate           | 1.350  | 4.050  | 3000  | ND     | Pass   | Metalaxyl               | 1.340  | 4.020  | 3000  | ND     | Pass   |
| Bifenthrin           | 1.330  | 3.990  | 500   | ND     | Pass   | Methiocarb              | 1.343  | 4.030  | 100   | ND     | Pass   |
| Boscalid             | 1.347  | 4.040  | 3000  | ND     | Pass   | Methomyl                | 13.467 | 40.400 | 100   | ND     | Pass   |
| Captan               | 11.177 | 33.530 | 3000  | ND     | Pass   | Mevinphos               | 13.507 | 40.520 | 100   | ND     | Pass   |
| Carbaryl             | 13.600 | 40.800 | 500   | ND     | Pass   | Myclobutanil            | 1.327  | 3.980  | 3000  | ND     | Pass   |
| Carbofuran           | 1.330  | 3.990  | 100   | ND     | Pass   | Naled                   | 13.427 | 40.280 | 500   | ND     | Pass   |
| Chlorantraniliprole  | 13.413 | 40.240 | 3000  | ND     | Pass   | Oxamyl                  | 13.467 | 40.400 | 500   | ND     | Pass   |
| Chlordane            | 6.720  | 20.160 | 100   | ND     | Pass   | Paclobutrazol           | 1.350  | 4.050  | 100   | ND     | Pass   |
| Chlorfenapyr         | 13.400 | 40.200 | 100   | ND     | Pass   | Parathion Methyl        | 13.520 | 40.560 | 100   | ND     | Pass   |
| Chlormequat Chloride | 13.520 | 40.560 | 3000  | ND     | Pass   | Pentachloronitrobenzene | 6.687  | 20.060 | 200   | ND     | Pass   |
| Chlorpyrifos         | 13.373 | 40.120 | 100   | ND     | Pass   | Permethrin              | 1.337  | 4.010  | 1000  | ND     | Pass   |
| Clofentezine         | 1.353  | 4.060  | 500   | ND     | Pass   | Phosmet                 | 13.467 | 40.400 | 200   | ND     | Pass   |
| Coumaphos            | 1.357  | 4.070  | 100   | ND     | Pass   | Piperonyl Butoxide      | 1.340  | 4.020  | 3000  | ND     | Pass   |
| Cyfluthrin           | 11.150 | 33.450 | 1000  | ND     | Pass   | Prallethrin             | 13.467 | 40.400 | 400   | ND     | Pass   |
| Cypermethrin         | 11.157 | 33.470 | 1000  | ND     | Pass   | Propiconazole           | 1.347  | 4.040  | 1000  | ND     | Pass   |
| Daminozide           | 13.320 | 39.960 | 100   | ND     | Pass   | Propoxur                | 1.350  | 4.050  | 100   | ND     | Pass   |
| Diazinon             | 1.337  | 4.010  | 200   | ND     | Pass   | Pyrethrins              |        |        | 1000  | ND     | Pass   |
| Dichlorvos           | 13.467 | 40.400 | 100   | ND     | Pass   | Pyridaben               | 1.347  | 4.040  | 3000  | ND     | Pass   |
| Dimethoate           | 1.353  | 4.060  | 100   | ND     | Pass   | Spinetoram              |        |        | 3000  | ND     | Pass   |
| Dimethomorph         | 1.340  | 4.020  | 3000  | ND     | Pass   | Spinosad                |        |        | 3000  | ND     | Pass   |
| Ethoprophos          | 1.337  | 4.010  | 100   | ND     | Pass   | Spiromesifen            | 1.340  | 4.020  | 3000  | ND     | Pass   |
| Etofenprox           | 13.453 | 40.360 | 100   | ND     | Pass   | Spirotetramat           | 1.327  | 3.980  | 3000  | ND     | Pass   |
| Etoxazole            | 1.337  | 4.010  | 1500  | ND     | Pass   | Spiroxamine             | 1.330  | 3.990  | 100   | ND     | Pass   |
| Fenhexamid           | 1.347  | 4.040  | 3000  | ND     | Pass   | Tebuconazole            | 1.353  | 4.060  | 1000  | ND     | Pass   |
| Fenoxycarb           | 1.347  | 4.040  | 100   | ND     | Pass   | Thiacloprid             | 1.337  | 4.010  | 100   | ND     | Pass   |
| Fenpyroximate        | 1.340  | 4.020  | 2000  | ND     | Pass   | Thiamethoxam            | 1.327  | 3.980  | 1000  | ND     | Pass   |
| Fipronil             | 1.357  | 4.070  | 100   | ND     | Pass   | Trifloxystrobin         | 1.327  | 3.980  | 3000  | ND     | Pass   |
| Flonicamid           | 1.333  | 4.000  | 2000  | ND     | Pass   |                         |        |        |       |        |        |

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 07/30/2026

Pesticide via LC-MS/MS and GC-MS/MS

Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory



Lise Berthe-Laurent  
Laboratory Director  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.  
This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(786) 599-1806  
http://accuratetestlab.com

QA Testing

3 of 4

## D9 25mg Assorted Flavors

Sample ID: 2607AFL1133.3953

Internal Lab ID: ATL-37842

Client

Strain: Hemp

Modern Distribution

Matrix: Ingestible

Received: 07/16/2026

Lic. #

Type: Soft Chew

Completed: 07/30/2026

123 North Orchard Street Ste 4A

Unit Weight: 9.783333333 g

Batch#: 23F26002

Ormond Beach, FL 32174

### Microbials

Pass

| Analyte                       | LOD   | Limit  | Result             | Status |
|-------------------------------|-------|--------|--------------------|--------|
|                               | CFU/g | CFU/g  | CFU/g              |        |
| Shiga Toxin-Producing E. coli | 1     | 1      | Not Detected in 1g | Pass   |
| Aspergillus flavus            | 1     | 1      | Not Detected in 1g | Pass   |
| Aspergillus fumigatus         | 1     | 1      | Not Detected in 1g | Pass   |
| Aspergillus terreus           | 1     | 1      | Not Detected in 1g | Pass   |
| Aspergillus niger             | 1     | 1      | Not Detected in 1g | Pass   |
| Salmonella                    | 1     | 1      | Not Detected in 1g | Pass   |
| Total Yeast & Mold            | 10    | 100000 | ND                 | Pass   |

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2  
Date Tested: 07/28/2026

### Mycotoxins

Pass

| Analyte          | LOD   | LOQ   | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
|                  | PPB   | PPB   | PPB   | PPB    |        |
| Aflatoxin B1     | 1.35  | 4.04  |       | ND     | Tested |
| Aflatoxin B2     | 1.33  | 4.00  |       | ND     | Tested |
| Aflatoxin G1     | 1.35  | 4.04  |       | ND     | Tested |
| Aflatoxin G2     | 1.33  | 4.00  |       | ND     | Tested |
| Ochratoxin A     | 13.47 | 40.40 | 20.00 | ND     | Pass   |
| Total Aflatoxins |       |       | 20.00 | ND     | Pass   |

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1  
Date Tested: 07/30/2026  
Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory

### Foreign Matter

Pass

| Analyte                                                        | Limit                                      | Result      | Status |
|----------------------------------------------------------------|--------------------------------------------|-------------|--------|
|                                                                | % by weight                                | % by weight |        |
| Mold, Mildew, Fungus, Hair, Or Insects                         | 1% wt/wt or >10% total sample surface area | ND          | Pass   |
| Packaging Contaminants, Processing Waste, Or Other By-Products | 1% wt/wt or >10% total sample surface area | ND          | Pass   |
| Feces                                                          | >0.5 mg/kg                                 | ND          | Pass   |
| FM Other                                                       |                                            | ND          | Pass   |

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3  
Date Tested: 07/28/2026



Lise Berthe-Laurent  
Laboratory Director  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## D9 25mg Assorted Flavors

Sample ID: 2607AFL1133.3953

Internal Lab ID: ATL-37842

Client

Strain: Hemp

Modern Distribution

Matrix: Ingestible

Received: 07/16/2026

Lic. #

Type: Soft Chew

Completed: 07/30/2026

123 North Orchard Street Ste 4A

Unit Weight: 9.783333333 g

Batch#: 23F26002

Ormond Beach, FL 32174

### Residual Solvents

Pass

| Analyte            | LOD | LOQ   | Limit | Result | Status | Analyte             | LOD | LOQ   | Limit | Result | Status |
|--------------------|-----|-------|-------|--------|--------|---------------------|-----|-------|-------|--------|--------|
|                    | PPM | PPM   | PPM   | PPM    |        |                     | PPM | PPM   | PPM   | PPM    |        |
| 1,1-Dichloroethene |     | 1.79  | 8     | ND     | Pass   | n-Heptane           |     | 1.79  | 5000  | ND     | Pass   |
| 1,2-Dichloroethane |     | 1.79  | 2     | ND     | Pass   | Isobutane           |     | 1.79  |       | ND     | Tested |
| 1,4-Dioxane        |     | 1.79  |       | ND     | Tested | Isopentane          |     | 0.60  |       | ND     | Tested |
| 2,2-Dimethylbutane |     | 0.36  |       | ND     | Tested | Isopropanol         |     | 26.25 | 500   | ND     | Pass   |
| 2,3-Dimethylbutane |     | 0.36  |       | ND     | Tested | Isopropyl Acetate   |     | 1.79  |       | ND     | Tested |
| 2-Butanol          |     | 1.79  |       | ND     | Tested | m-Xylene + p-Xylene |     | 0.89  |       | ND     | Tested |
| 2-Ethoxyethanol    |     | 3.57  |       | ND     | Tested | Methanol            |     | 17.83 | 250   | 25.00  | Pass   |
| 2-Methylpentane    |     | 0.36  |       | ND     | Tested | Methylene Chloride  |     | 1.79  | 125   | ND     | Pass   |
| 3-Methylpentane    |     | 0.36  |       | ND     | Tested | n-Butane            |     | 0.89  |       | ND     | Tested |
| Acetone            |     | 1.79  | 750   | <1.79  | Pass   | n-Hexane            |     | 0.36  |       | ND     | Tested |
| Acetonitrile       |     | 17.74 | 60    | ND     | Pass   | n-Pentane           |     | 0.60  |       | ND     | Tested |
| Benzene            |     | 0.02  | 1     | ND     | Pass   | Neopentane          |     | 0.59  |       | ND     | Tested |
| Chloroform         |     | 0.07  | 2     | ND     | Pass   | o-Xylene            |     | 0.45  |       | ND     | Tested |
| Cumene             |     | 1.79  |       | ND     | Tested | Propane             |     | 7.19  | 5000  | ND     | Pass   |
| Cyclohexane        |     | 1.79  |       | ND     | Tested | Tetrahydrofuran     |     | 1.79  |       | ND     | Tested |
| Ethanol            |     | 36.95 | 5000  | ND     | Pass   | Toluene             |     | 2.17  | 150   | ND     | Pass   |
| Ethyl Acetate      |     | 10.16 | 400   | ND     | Pass   | Trichloroethene     |     | 1.79  | 25    | ND     | Pass   |
| Ethylbenzene       |     | 0.45  |       | ND     | Tested | Hexanes             |     |       | 250   | ND     | Pass   |
| Ethyl Ether        |     | 1.79  | 500   | ND     | Pass   | Butanes             |     |       | 5000  | ND     | Pass   |
| Ethylene Glycol    |     | 57.12 |       | ND     | Tested | Pentanes            |     |       | 750   | ND     | Pass   |
| Ethylene Oxide     |     | 1.79  | 5     | ND     | Pass   | Xylenes             |     | 12.00 | 150   | ND     | Pass   |

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 07/22/2026

Residual Solvents via HS-GC-MS

### Heavy Metals

Pass

| Analyte | LOD  | LOQ  | Limit | Result | Status |
|---------|------|------|-------|--------|--------|
|         | PPB  | PPB  | PPB   | PPB    |        |
| Arsenic | 16.3 | 48.9 | 1500  | ND     | Pass   |
| Cadmium | 16.3 | 48.9 | 500   | ND     | Pass   |
| Lead    | 16.3 | 48.9 | 500   | 60.0   | Pass   |
| Mercury | 16.3 | 48.9 | 3000  | ND     | Pass   |

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9

Date Tested: 07/23/2026



Lise Berthe-Laurent  
Laboratory Director  
07/30/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.