

## Modern Superglue Badder

Sample ID: 2509AFL1609.6391  
Strain: MODERNSGBAD-091025.1  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Unit Weight: 1 g

Internal Lab ID: ATL-32036  
Received: 09/11/2025  
Completed: 10/07/2025  
Batch#: MODERSGBAD-091025.1

Client  
Modern Distribution  
Lic. #  
1579 Prospect st  
High Point, NC 27260.



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 09/11/2025  | Complete |
| Residual Solvents | 10/03/2025  | Pass     |
| Microbials        | 10/03/2025  | Pass     |
| Mycotoxins        | 10/01/2025  | Pass     |
| Pesticides        | 10/01/2025  | Pass     |
| Heavy Metals      | 10/03/2025  | Pass     |
| Foreign Matter    | 10/03/2025  | Pass     |

### Basic Potency

Complete

**51.65%**  
Total THC

**15.97%**  
Total CBD

**93.40%**  
Total Cannabinoids

| Analyte          | LOD | LOQ  | Result | Result  | Analyte        | LOD | LOQ  | Result       | Result       |
|------------------|-----|------|--------|---------|----------------|-----|------|--------------|--------------|
|                  | %   | %    | %      | mg/unit |                | %   | %    | %            | mg/unit      |
| CBDVa            |     | 0.02 | ND     | ND      | 9S-HHC         |     | 0.03 | ND           | ND           |
| CBDV             |     | 0.02 | ND     | ND      | 9R-HHC         |     | 0.03 | ND           | ND           |
| CBDa             |     | 0.02 | 11.13  | 111.3   | Δ9-THCH        |     | 0.02 | ND           | ND           |
| CBGa             |     | 0.02 | ND     | ND      | Δ8-THCH        |     | 0.02 | ND           | ND           |
| CBG              |     | 0.02 | 1.08   | 10.8    | Δ9-THCP        |     | 0.02 | ND           | ND           |
| CBD              |     | 0.02 | 6.21   | 62.1    | Δ8-THCP        |     | 0.02 | ND           | ND           |
| THCV             |     | 0.02 | ND     | ND      | Δ8-THCO        |     | 0.02 | ND           | ND           |
| Δ8-THCV          |     | 0.02 | ND     | ND      | Δ9-THCO        |     | 0.02 | ND           | ND           |
| THCVa            |     | 0.02 | ND     | ND      | 9(S)-HHCP      |     | 0.02 | ND           | ND           |
| CBN              |     | 0.02 | 12.90  | 129.0   | 9(R)-HHCP      |     | 0.02 | ND           | ND           |
| Δ9-THC           |     | 0.02 | ND     | ND      | 11-Hydroxy-THC |     | 0.02 | ND           | ND           |
| Δ8-THC           |     | 0.02 | ND     | ND      | 1(S)-H4-CBD    |     | 0.02 | ND           | ND           |
| (6aR,9S)-d10-THC |     | 0.02 | ND     | ND      | 1(R)-H4-CBD    |     | 0.02 | ND           | ND           |
| (6aR,9R)-d10-THC |     | 0.02 | ND     | ND      | Δ9-THCB        |     | 0.02 | 1.50         | 15.0         |
| CBC              |     | 0.02 | 1.69   | 16.9    | Δ8-THCB        |     | 0.02 | ND           | ND           |
| CBCa             |     | 0.02 | ND     | ND      | CBDp           |     | 0.02 | ND           | ND           |
| THCa             |     | 0.02 | 58.89  | 588.9   | <b>Total</b>   |     |      | <b>93.40</b> | <b>934.0</b> |

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 09/11/2025

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA)

ISO/IEC 17025:2017 Accreditation No. 118038

**NT**  
Not Tested  
Document ID:  
Moisture Content

**NT**  
Not Tested  
Document ID:  
Water Activity

**Pass**  
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3  
Foreign Matter



  
Paulo Gonzalez  
Laboratory Director  
10/07/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## Modern Superglue Badder

Sample ID: 2509AFL1609.6391  
Strain: MODERNSGBAD-091025.1  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Unit Weight: 1 g

Internal Lab ID: ATL-32036  
Received: 09/11/2025  
Completed: 10/07/2025  
Batch#: MODERSGBAD-091025.1

Client  
Modern Distribution  
Lic. #  
1579 Prospect st  
High Point, NC 27260.

### Pesticides

Pass

| Analyte              | LOD<br>PPB | LOQ<br>PPB | Limit<br>PPB | Result<br>PPB | Status | Analyte                 | LOD<br>PPB | LOQ<br>PPB | Limit<br>PPB | Result<br>PPB | Status |
|----------------------|------------|------------|--------------|---------------|--------|-------------------------|------------|------------|--------------|---------------|--------|
| Abamectin            |            |            | 100          | ND            | Pass   | Fludioxonil             |            |            | 100          | ND            | Pass   |
| Acephate             |            |            | 100          | ND            | Pass   | Hexythiazox             |            |            | 100          | ND            | Pass   |
| Acequinocyl          |            |            | 100          | ND            | Pass   | Imazalil                |            |            | 100          | ND            | Pass   |
| Acetamiprid          |            |            | 100          | ND            | Pass   | Imidacloprid            |            |            | 400          | ND            | Pass   |
| Aldicarb             |            |            | 100          | ND            | Pass   | Kresoxim Methyl         |            |            | 100          | ND            | Pass   |
| Azoxystrobin         |            |            | 100          | ND            | Pass   | Malathion               |            |            | 200          | ND            | Pass   |
| Bifenazate           |            |            | 100          | ND            | Pass   | Metalaxyl               |            |            | 100          | ND            | Pass   |
| Bifenthrin           |            |            | 100          | 13.428        | Pass   | Methiocarb              |            |            | 100          | ND            | Pass   |
| Boscalid             |            |            | 100          | ND            | Pass   | Methomyl                |            |            | 100          | ND            | Pass   |
| Captan               |            |            | 700          | ND            | Pass   | Mevinphos               |            |            | 100          | ND            | Pass   |
| Carbaryl             |            |            | 500          | ND            | Pass   | Myclobutanil            |            |            | 0            | ND            | Pass   |
| Carbofuran           |            |            | 100          | ND            | Pass   | Naled                   |            |            | 250          | ND            | Pass   |
| Chlorantraniliprole  |            |            | 1000         | ND            | Pass   | Oxamyl                  |            |            | 500          | ND            | Pass   |
| Chlordane            |            |            | 100          | ND            | Pass   | Paclobutrazol           |            |            | 100          | ND            | Pass   |
| Chlorfenapyr         |            |            | 100          | ND            | Pass   | Parathion Methyl        |            |            | 100          | ND            | Pass   |
| Chlormequat chloride |            |            | 1000         | ND            | Pass   | Pentachloronitrobenzene |            |            | 150          | ND            | Pass   |
| Chlorpyrifos         |            |            | 100          | ND            | Pass   | Permethrin              |            |            | 100          | ND            | Pass   |
| Clofentezine         |            |            | 200          | ND            | Pass   | Phosmet                 |            |            | 100          | ND            | Pass   |
| Coumaphos            |            |            | 100          | ND            | Pass   | Piperonyl Butoxide      |            |            | 3000         | ND            | Pass   |
| Cyfluthrin           |            |            | 500          | ND            | Pass   | Prallethrin             |            |            | 100          | ND            | Pass   |
| Cypermethrin         |            |            | 500          | ND            | Pass   | Propiconazole           |            |            | 100          | ND            | Pass   |
| Daminozide           |            |            | 100          | ND            | Pass   | Propoxur                |            |            | 100          | ND            | Pass   |
| Diazinon             |            |            | 100          | ND            | Pass   | Pyrethrins              |            |            | 500          | ND            | Pass   |
| Dichlorvos           |            |            | 100          | ND            | Pass   | Pyridaben               |            |            | 200          | ND            | Pass   |
| Dimethoate           |            |            | 100          | ND            | Pass   | Spinetoram              |            |            | 200          | ND            | Pass   |
| Dimethomorph         |            |            | 200          | ND            | Pass   | Spinosad                |            |            | 100          | ND            | Pass   |
| Ethoprophos          |            |            | 100          | ND            | Pass   | Spiromesifen            |            |            | 100          | ND            | Pass   |
| Etofenprox           |            |            | 100          | ND            | Pass   | Spirotetramat           |            |            | 100          | ND            | Pass   |
| Etoxazole            |            |            | 100          | ND            | Pass   | Spiroxamine             |            |            | 100          | ND            | Pass   |
| Fenhexamid           |            |            | 100          | ND            | Pass   | Tebuconazole            |            |            | 100          | ND            | Pass   |
| Fenoxycarb           |            |            | 100          | ND            | Pass   | Thiacloprid             |            |            | 100          | ND            | Pass   |
| Fenpyroximate        |            |            | 100          | ND            | Pass   | Thiamethoxam            |            |            | 500          | ND            | Pass   |
| Fipronil             |            |            | 100          | ND            | Pass   | Trifloxystrobin         |            |            | 100          | ND            | Pass   |
| Flonicamid           |            |            | 100          | ND            | Pass   |                         |            |            |              |               |        |

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1  
Date Tested: 10/01/2025  
Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez  
Laboratory Director  
10/07/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## Modern Superglue Badder

Sample ID: 2509AFL1609.6391  
Strain: MODERNSGBAD-091025.1  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Unit Weight: 1 g

Internal Lab ID: ATL-32036  
Received: 09/11/2025  
Completed: 10/07/2025  
Batch#: MODERSGBAD-091025.1

Client  
Modern Distribution  
Lic. #  
1579 Prospect st  
High Point, NC 27260.

### Microbials

Pass

| Analyte                                         | LOD<br>CFU/g | LOQ<br>CFU/g | Limit<br>CFU/g | Result<br>CFU/g    | Status |
|-------------------------------------------------|--------------|--------------|----------------|--------------------|--------|
| Total Aerobic Count                             | 10           |              |                | NT                 | NT     |
| Aspergillus (niger, fumigatus, flavus, terreus) | 1            |              | 1              | Not Detected in 1g | Pass   |
| Bile-Tolerant Gram-Negative Bacteria            |              |              |                | NT                 | NT     |
| Shiga toxin-producing E. Coli                   | 1            |              | 1              | Not Detected in 1g | Pass   |
| Salmonella                                      | 1            |              | 1              | Not Detected in 1g | Pass   |
| Staphylococcus aureus                           | 10           |              |                | NT                 | NT     |
| Total Combined Yeast and Mold                   | 10           |              | 100000         | ND                 | Pass   |

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2

Date Tested: 10/03/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020.

### Foreign Matter

Pass

| Analyte                | Limit<br>% by weight | Result<br>% by weight | Status |
|------------------------|----------------------|-----------------------|--------|
| Packaging Contaminants | 0.01                 | ND                    | Pass   |
| Insects                | 0.01                 | ND                    | Pass   |
| Feces                  | 0.005                | ND                    | Pass   |
| Mold                   | 0.01                 | ND                    | Pass   |
| FM Other               |                      | ND                    | Pass   |
| Hair                   | 0.01                 | ND                    | Pass   |

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3

Date Tested: 10/03/2025



Paulo Gonzalez  
Laboratory Director  
10/07/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>

QA Testing

4 of 6

## Modern Superglue Badder

Sample ID: 2509AFL1609.6391  
Strain: MODERNSGBAD-091025.1  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Unit Weight: 1 g

Internal Lab ID: ATL-32036  
Received: 09/11/2025  
Completed: 10/07/2025  
Batch#: MODERSGBAD-091025.1

Client  
Modern Distribution  
Lic. #  
1579 Prospect st  
High Point, NC 27260.

### Heavy Metals

Pass

| Analyte | LOQ  | Limit | Result | Status |
|---------|------|-------|--------|--------|
|         | µg/g | µg/g  | µg/g   |        |
| Arsenic | 0.1  | 0.2   | ND     | Pass   |
| Cadmium | 0.1  | 0.2   | ND     | Pass   |
| Lead    | 0.1  | 0.5   | ND     | Pass   |
| Mercury | 0.1  | 0.2   | ND     | Pass   |



Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: NA  
Date Tested: 10/03/2025



Paulo Gonzalez  
Laboratory Director  
10/07/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## Modern Superglue Badder

Sample ID: 2509AFL1609.6391  
Strain: MODERNSGBAD-091025.1  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Unit Weight: 1 g

Internal Lab ID: ATL-32036  
Received: 09/11/2025  
Completed: 10/07/2025  
Batch#: MODERSGBAD-091025.1

Client  
Modern Distribution  
Lic. #  
1579 Prospect st  
High Point, NC 27260.

### Residual Solvents

Pass

| Analyte                 | LOD  | LOQ  | Limit | Result  | Status | Analyte            | LOD  | LOQ  | Limit | Result  | Status |
|-------------------------|------|------|-------|---------|--------|--------------------|------|------|-------|---------|--------|
|                         | µg/g | µg/g | µg/g  | µg/g    |        |                    | µg/g | µg/g | µg/g  | µg/g    |        |
| 1,1 Dichloroethene      |      | 0.7  | 8     | ND      | Pass   | Ethylene Oxide     | 0.4  | 5    |       | ND      | Pass   |
| Ethylene Dichloride     |      | 0.2  | 2     | ND      | Pass   | Heptane            | 40   | 5000 |       | <40,000 | Pass   |
| 1,4-Dioxane             |      |      |       | ND      | Tested | Hexanes            |      | 250  |       | ND      | Pass   |
| 2,2-Dimethyl-<br>Butane |      |      |       | ND      | Tested | Isobutane          |      |      |       | ND      | Tested |
| 2,3-Dimethyl-<br>Butane |      |      |       | ND      | Tested | Isopentane         |      |      |       | ND      | Tested |
| 2-Butanol               |      |      |       | ND      | Tested | Isopropanol        | 40   | 500  |       | ND      | Pass   |
| 2-Ethoxy-Ethanol        |      |      |       | ND      | Tested | Isopropyl-Acetate  |      |      |       | ND      | Tested |
| 2-Methyl-Pentane        |      |      |       | ND      | Tested | m+p Xylene         |      |      |       | ND      | Tested |
| 3-Methyl-Pentane        |      |      |       | ND      | Tested | Methanol           | 20   | 250  |       | ND      | Pass   |
| Acetone                 |      | 59   | 750   | <59,000 | Pass   | Methylene Chloride | 10   | 125  |       | ND      | Pass   |
| Acetonitrile            |      | 5    | 60    | ND      | Pass   | Butane             | 71   |      |       | ND      | Tested |
| Benzene                 |      | 0.08 | 1     | ND      | Pass   | Hexane             |      | 5    |       | ND      | Tested |
| Butanes                 |      |      | 5000  | ND      | Pass   | Pentane            |      | 59   |       | ND      | Tested |
| Chloroform              |      | 0.2  | 2     | ND      | Pass   | Neopentane         |      |      |       | ND      | Tested |
| Cumene                  |      |      |       | ND      | Tested | o-Xylene           |      |      |       | ND      | Tested |
| Cyclohexane             |      |      |       | ND      | Tested | Pentanes           |      |      | 750   | ND      | Pass   |
| Ethanol                 |      | 79   | 5000  | ND      | Pass   | Propane            | 165  | 5000 |       | ND      | Pass   |
| Ethyl Acetate           |      | 20   | 400   | ND      | Pass   | Tetrahydrofuran    |      |      |       | ND      | Tested |
| Ethyl-Benzene           |      |      |       | ND      | Tested | Toluene            |      | 12   | 150   | ND      | Pass   |
| Ethyl Ether             |      | 40   | 500   | ND      | Pass   | Trichloroethene    |      | 2    | 25    | ND      | Pass   |
| Ethylene Glycol         |      |      |       | ND      | Tested | Xylenes            |      | 12   | 150   | ND      | Pass   |

ACCURATE  
TEST LAB

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3  
Date Tested: 10/03/2025  
Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c);



Paulo Gonzalez  
Laboratory Director  
10/07/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>

QA Testing

6 of 6

## Modern Superglue Badder


Sample ID: 2509AFL1609.6391  
Strain: MODERNSGBAD-091025.1  
Matrix: Concentrates & Extracts  
Type: Batter/Badder  
Unit Weight: 1 g

Internal Lab ID: ATL-32036  
Received: 09/11/2025  
Completed: 10/07/2025  
Batch#: MODERSGBAD-091025.1

Client  
Modern Distribution  
Lic. #  
1579 Prospect st  
High Point, NC 27260.

### Mycotoxins

| Analyte          | LOD    | LOQ    | Limit | Result | Status |
|------------------|--------|--------|-------|--------|--------|
|                  | µg/kg  | µg/kg  | µg/kg | µg/kg  |        |
| B1               | 0.0226 | 0.0528 |       | ND     | Tested |
| B2               | 0.0329 | 0.0768 |       | ND     | Tested |
| G1               | 0.0046 | 0.0107 |       | ND     | Tested |
| G2               | 0.0108 | 0.0252 |       | ND     | Tested |
| Ochratoxin A     | 0.0259 | 0.0604 | 20    | ND     | Pass   |
| Total Aflatoxins |        |        | 20    | ND     | Pass   |



Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1  
Date Tested: 10/01/2025



Paulo Gonzalez  
Laboratory Director  
10/07/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.